

# NEWMAN Sanitary Gasket Company

P.O. BOX 222 • LEBANON, OHIO 45036 • PHONE 513-932-7379 • FAX 513-932-4493

## Laboratory Report

### PHYSICAL PROPERTIES OF NEWMAN COMPOUND 3207 (DuPont Viton® A)

Specific Gravity	1.98
Hardness, Shore "A" pts.	77
Ultimate Tensile Strength, psi	1500
Elongation, %	290
200% Modulus, psi	1050
Compression Set, % (Method B, 22 hrs @ 150°C)	35.0
Cure System - Bisphenol	

Newman Sanitary Gasket Company's Compound 3207 meets the criteria of the FDA, Title 21, Paragraph 177.2600 for repeated use in contact with food and also meets the requirements of the 3A Sanitary Standards.

*George Y. Lin*

George Y. Lin  
Chief Chemist

3/14/08

Filename: LR - 3207.doc  
Directory: S:\CustService\Lab Reports  
Template: C:\Documents and Settings\larryh\Application  
Data\Microsoft\Templates\Normal.dot  
Title: NEWMAN Sanitary Gasket Company  
Subject:  
Author: Newman Sanitary Gasket Company  
Keywords:  
Comments:  
Creation Date: 9/19/2002 10:13 AM  
Change Number: 22  
Last Saved On: 3/14/2008 1:36 PM  
Last Saved By: Cindy Swagler  
Total Editing Time: 42 Minutes  
Last Printed On: 10/18/2010 12:41 PM  
As of Last Complete Printing  
Number of Pages: 1  
Number of Words: 101 (approx.)  
Number of Characters: 579 (approx.)